

- [Home](#)
- [Part Number Search](#)
- [Document Search](#)
- [CAD Model Search](#)
- [Text Search](#)
- [Alternate/Lead Free Part Search](#)
- [Multiple Part Comparison](#)
- [Alphabetical Search](#)
- [Brand Search](#)
- [Industry Product Search](#)
- [Product Type Search](#)
- [Product Family Search](#)
- [Competitor Cross Reference](#)
- [Lead Free Solutions](#)
- [Tool Search](#)
- [Help/Glossary](#)

Ribbon Cable Connector System (AMP-LATCH)

Pin and Pinless Headers (AMP-LATCH)

AMP **2-880042-0** [Active](#) [Active](#)

[Not Reviewed for ELV/RoHS Compliance](#)

(Tyco Electronics P/N: 2-880042-0)

[Search for Parts](#)

Document links for this part cannot be displayed. Your browser does not support inline frames or is currently configured not to display inline frames. Inline frames are supported in both Internet Explorer 5 and Netscape 6, as well as all later versions of these browsers.

Related Part Information		
General Information	eCommerce	Related Part Information
General Info Sales Info	Pricing	Tooling
Assembly Subcontractors	Product Availability	

Searchable Features:	
Brand:	AMP
RoHS/ELV Compliance:	Not reviewed for compliance
Connector Type:	Universal Ejection Pin Headers
No. of Positions:	20
Centerline, Matrix (mm [in]):	2.54 x 2.54 [.100 x .100]
PCB Mount Angle:	Right Angle
PCB Retention Feature:	Without
Mating Polarization Method:	Military
Termination Post Length (mm [in]):	3.50 [0.138]
Mating Connector Lock:	Without
Housing Style:	4-Sided
Ejection Latches:	With
Temperature Rating:	Standard

Other Properties:	
Daisy Chain:	With
Shrouded:	Yes
Mating Polarization:	Yes
Housing Material:	Thermoplastic Glass reinforced
Housing Flammability Rating:	UL 94V-0
Housing Color:	Black
Contact Material:	Brass
Solder Tail Plating:	Tin-Lead over Nickel

[Copyright](#) and [Privacy Statement](#)

Visit [Tyco International Ltd.](#)

[Products](#) | [Catalog](#) | [Brands](#) | [Industries](#) | [Commerce](#) | [Supplier](#) | [Contact Us](#) | [About](#) | [Home](#)

i2 Technologies US, Inc.

HTML Pages converted to PDF Document

This document contain component information from the manufacturer's website which are not available in a revision controlled document from the manufacturer. To facilitate the addition of these parts into the Electronics Database, we are converting the HTML pages related to that part, from the manufacturer's website into Adobe PDF format. The contents of this document is based on the information provided on the manufacturer's website, therefore the information may have been changed by the manufacturer since this was created.

