


Material:  
 \* Insulation: Nylon 6T UL 94V-0  
 ,Color Black  
 \* Contact: Phosphor Bronze


Ordering Code:

CB83 \*\* 2 R 1 00  
 ① ② ③ ④ ⑤ ⑥

- ① Series No.
- ② NO. of Circuits:
- ③ Plating code:  
 2= Gold flash plated over  
 1.27μm(50μ") Nickel  
 9= 0.13μm(5μ") Gold plated over  
 1.27μm(50μ") Nickel
- ④ Tail Style: R= Dual Entry
- ⑤ Color: 1= Black
- ⑥ Other options: 00= Standard



A = 2.54 \* No. of Spaces  
 B = A + 3.20  
 \* Available in 4 through 80 circuits



Recommended P.C. Board Layout

RoHS Compliant

SYM	4	Sandy	5/19-08'	ECN08215/ECR08045-1		DATE	UNIT: mm / inch	TITLE: 2.54MM(.100")		DRAWING NO. CB8301SG	PART NO. CB83***R100	SCALE 4 / 1	SHEET 1 OF 1	
	3	Bill	01/16/08'	ECN08026		DRAWN BY: Sandy	5/19-08'	TOLERANCE UNLESS OTHERWISE SPECIFIED						DUAL ROW DUAL ENTRY CONNECTOR
	2	Sandy	11/28/05'	ECN05383/ECR05110-0		ENGINEER: Clark	5/21-08'	.X ± 0.30 / .012 X' ± 1"						MATERIAL:
	1	Sandy	8/1/05'	ECN05266		CHECKED BY: David	5/21-08'	.XX ± 0.20 / .008 X' ±						FINISH:
				REVISIONS		APPROVED BY: Alex	5/21-08'							