



\* \* \* 2666 \* \* \*

Pin Length = Dim.C+Dim.D+Dim.E






| No. | Part No.    | Pin Part No. | Dim.C       | Dim.D       | Dim.E        |
|-----|-------------|--------------|-------------|-------------|--------------|
| 1   | 2666P***L01 | *SP06402900  | 9.00(.354)  | 3.20(.126)  | 16.80(.661)  |
| 2   | 2666P***L02 | *SP06401460  | 3.00(.118)  | 4.50(.177)  | 7.10(.280)   |
| 3   | 2666P***L03 | *SP06401970  | 8.00(.315)  | 3.20(.126)  | 8.50(.335)   |
| 4   | 2666P***L04 | *SP06401450  | 5.50(.217)  | 2.00(.079)  | 7.00(.276)   |
| 5   | 2666P***L05 | *SP06401800  | 7.00(.267)  | 3.60(.142)  | 7.40(.291)   |
| 6   | 2666P***L06 | *SP06403000  | 6.30(.248)  | 3.00(.118)  | 20.7(.815)   |
| 7   | 2666P***L07 | *SP06402980  | 3.00(.118)  | 8.60(.339)  | 18.20(.717)  |
| 8   | 2666P***L08 | *SP06403200  | 2.60(.102)  | 2.60(.102)  | 26.80(1.06)  |
| 9   | 2666P***L09 | *SP06402530  | 5.80(.228)  | 3.50(.138)  | 16.00(.630)  |
| 10  | 2666P***L10 | *SP06401930  | 5.80(.228)  | 3.50(.138)  | 10.00(.394)  |
| 11  | 2666P***L11 | *SP06402990  | 10.00(.394) | 10.00(.394) | 9.90(.390)   |
| 12  | 2666P***L12 | *SP06403200  | 6.00(.236)  | 4.00(.157)  | 22.00(.866)  |
| 13  | 2666P***L13 | *SP06403200  | 5.40(.213)  | 4.20(.165)  | 22.40(.882)  |
| 14  | 2666P***L14 | *SP06401434  | 6.26(.246)  | 5.08(.200)  | 3.00(.118)   |
| 15  | 2666P***L15 | *SP06402100  | 7.00(.276)  | 3.00(.118)  | 11.00(.433)  |
| 16  | 2666P***L16 | *SP06401093  | 3.05(.120)  | 2.80(.110)  | 5.08(.200)   |
| 17  | 2666P***L17 | *SP06403200  | 6.30(.248)  | 3.40(.134)  | 22.30(.878)  |
| 18  | 2666P***L18 | *SP06401330  | 5.50(.217)  | 2.00(.079)  | 5.80(.228)   |
| 19  | 2666P***L19 | *SP06402262  | 2.80(.110)  | 2.80(.110)  | 17.02(.670)  |
| 20  | 2666P***L20 | *SP06403404  | 8.00(.315)  | 5.59(.220)  | 25.40(1.000) |

|      |          |                                                                                                                     |       |                                                                                      |  |                                          |    |             |      |
|------|----------|---------------------------------------------------------------------------------------------------------------------|-------|--------------------------------------------------------------------------------------|--|------------------------------------------|----|-------------|------|
| R    | E980194  |  臺灣龍傑股份有限公司<br>LEOCO CORPORATION |       | APPROVED BY:                                                                         |  | PART NO.:                                |    |             |      |
| Q    | E970344  |                                                                                                                     |       | GENERAL TOLERANCE                                                                    |  | CHECKED BY:                              |    | 2666P***L** |      |
| P    | E970211  | $X \pm$ $X' \pm 2'$                                                                                                 |       | DRAW BY:                                                                             |  | TITLE:                                   |    |             |      |
| □    | E970139  | $.X \pm \frac{0.30}{.012}$ $.X' \pm$                                                                                |       | Angela 5/12/'98                                                                      |  | Header                                   |    |             |      |
| N    | E970117  | $.XX \pm \frac{0.20}{.008}$ $.XX' \pm$                                                                              |       |  |  | DRAWING NO.:                             |    | REV.        |      |
| REV. | ECO. NO. | CHG                                                                                                                 | APPD. |                                                                                      |  | $.XXX \pm \frac{0.10}{.004}$ $.XXX' \pm$ |    | SCALE       | SIZE |
|      |          |                                                                                                                     |       |                                                                                      |  | ~                                        | A4 | 1/4         | R    |

\*\*\* 2666 \*\*\*


Pin Length = Dim.C+Dim.D+Dim.E



| No.  | Part No.    | Pin Part No. | Dim.C                                                                                                                             | Dim.D                                                                                | Dim.E                                               |            |                                                                    |             |                 |      |         |
|------|-------------|--------------|-----------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-----------------------------------------------------|------------|--------------------------------------------------------------------|-------------|-----------------|------|---------|
| 1    | 2666P***L21 | *SP06401344  | 4.30(.163)                                                                                                                        | 2.54(.100)                                                                           | 6.60(.260)                                          |            |                                                                    |             |                 |      |         |
| 2    | 2666P***L22 | *SP06402617  | 10.67(.420)                                                                                                                       | 2.80(.110)                                                                           | 12.70(.500)                                         |            |                                                                    |             |                 |      |         |
| 3    | 2666P***L23 | *SP06403000  | 10.00(.394)                                                                                                                       | 5.00(.197)                                                                           | 15.00(.591)                                         |            |                                                                    |             |                 |      |         |
| 4    | 2666P***L24 | *SP06404800  | 10.00(.394)                                                                                                                       | 5.00(.197)                                                                           | 33.00(.130)                                         |            |                                                                    |             |                 |      |         |
| 5    | 2666P***L25 | *SP06401600  | 2.50(.984)                                                                                                                        | 6.00(.236)                                                                           | 7.50(.295)                                          |            |                                                                    |             |                 |      |         |
| 6    | 2666P***L26 | *SP06402740  | 2.60(.102)                                                                                                                        | 4.50(.177)                                                                           | 20.30(.787)                                         |            |                                                                    |             |                 |      |         |
| 7    | 2666P***L27 | *SP06402604  | 7.37(.290)                                                                                                                        | 15.88(.625)                                                                          | 2.79(.110)                                          |            |                                                                    |             |                 |      |         |
| 8    | 2666P***L28 | *SP06403048  | 8.13(.320)                                                                                                                        | 3.15(.124)                                                                           | 19.20(.756)                                         |            |                                                                    |             |                 |      |         |
| 9    | 2666P***L29 | *SP06402400  | 2.80(.110)                                                                                                                        | 2.80(.110)                                                                           | 18.40(.724)                                         |            |                                                                    |             |                 |      |         |
| 10   | 2666P***L30 | *SP06403235  | 8.00(.315)                                                                                                                        | 3.39(.133)                                                                           | 20.96(.825)                                         |            |                                                                    |             |                 |      |         |
| 11   | 2666P***L31 | *SP06402069  | 8.00(.315)                                                                                                                        | 3.39(.133)                                                                           | 9.30(.366)                                          |            |                                                                    |             |                 |      |         |
| 12   | 2666P***L32 | *SP06403455  | 8.78(.346)                                                                                                                        | 2.77(.109)                                                                           | 23.00(.906)                                         |            |                                                                    |             |                 |      |         |
| 13   | 2666P***L33 | *SP06401670  | 5.00(.197)                                                                                                                        | 5.00(.197)                                                                           | 6.70(.264)                                          |            |                                                                    |             |                 |      |         |
| 14   | 2666P***L34 | *SP06401500  | 5.00(.197)                                                                                                                        | 5.00(.197)                                                                           | 5.00(.197)                                          |            |                                                                    |             |                 |      |         |
| 15   | 2666P***L35 | *SP06403080  | 7.70(.303)                                                                                                                        | 3.50(.138)                                                                           | 19.70(.773)                                         |            |                                                                    |             |                 |      |         |
| 16   | 2666P***L36 | *SP06404128  | 12.70(.500)                                                                                                                       | 3.18(.125)                                                                           | 25.40(1.00)                                         |            |                                                                    |             |                 |      |         |
| 17   | 2666P***L37 | *SP06401780  | 3.50(.138)                                                                                                                        | 8.50(.335)                                                                           | 5.80(.228)                                          |            |                                                                    |             |                 |      |         |
| 18   | 2666P***L38 | *SP06401950  | 7.90(.311)                                                                                                                        | 2.60(.102)                                                                           | 9.00(.354)                                          |            |                                                                    |             |                 |      |         |
| 19   | 2666P***L39 | *SP06402830  | 7.50(.295)                                                                                                                        | 2.60(.102)                                                                           | 18.20(.716)                                         |            |                                                                    |             |                 |      |         |
| 20   | 2666P***L40 | *SP06402870  | 8.13(.320)                                                                                                                        | 2.79(.109)                                                                           | 17.78(.700)                                         |            |                                                                    |             |                 |      |         |
| R    | E980194     |              |  <b>臺灣龍傑股份有限公司</b><br><b>LEOCO CORPORATION</b> |                                                                                      | APPROVED BY:                                        | PART NO.:  |                                                                    |             |                 |      |         |
| Q    | E970344     |              |                                                                                                                                   |                                                                                      | <b>GENERAL TOLERANCE</b><br>X. ±            X' ± 2' |            | CHECKED BY:                                                        | 2666P***L** |                 |      |         |
| P    | E970211     |              |                                                                                                                                   |                                                                                      |                                                     |            | .X ± $\frac{0.30}{.012}$ .X' ±<br>.XX ± $\frac{0.20}{.008}$ .XX' ± |             | DRAW BY:        |      | TITLE:  |
| □    | E970139     |              |                                                                                                                                   |                                                                                      | .XXX ± $\frac{0.10}{.004}$ .XXX' ±                  |            |                                                                    |             | Angela 5/12/'98 |      | Header  |
| N    | E970117     |              |                                                                                                                                   |                                                                                      |                                                     |            | .XXX ± $\frac{0.10}{.004}$ .XXX' ±                                 |             | DRAWING NO.:    |      | 266602S |
| REV. | ECO. NO.    | CHG          | APPD.                                                                                                                             |  |                                                     | UNITS      |                                                                    |             | SCALE           | SIZE | SHEET   |
|      |             |              |                                                                                                                                   |                                                                                      |                                                     | mm<br>inch | ~                                                                  | A4          | 2/4             | R    |         |

\* \* \* 2666 \* \* \*

Pin Length = Dim.C+Dim.D+Dim.E




| No. | Part No.    | Pin Part No. | Dim.C       | Dim.D      | Dim.E        |
|-----|-------------|--------------|-------------|------------|--------------|
| 1   | 2666P***L41 | *SP06402330  | 6.00(.236)  | 3.30(.130) | 14.00(.551)  |
| 2   | 2666P***L42 | *SP06402190  | 8.50(.335)  | 3.00(.118) | 10.40(.409)  |
| 3   | 2666P***L43 | *SP06402200  | 6.00(.236)  | 3.00(.118) | 13.00(.512)  |
| 4   | 2666P***L44 | *SP06403200  | 2.54(.100)  | 5.08(.200) | 24.38(.960)  |
| 5   | 2666P***L45 | *SP06404062  | 5.08(.200)  | 2.54(.100) | 33.00(1.300) |
| 6   | 2666P***L46 | *SP06402746  | 8.46(.333)  | 8.46(.333) | 10.54(.415)  |
| 7   | 2666P***L47 | *SP06401824  | 2.77(.109)  | 2.77(.109) | 12.70(.500)  |
| 8   | 2666P***L48 | *SP06404000  | 8.00(.315)  | 4.00(.157) | 28.00(1.102) |
| 9   | 2666P***L49 | *SP06402300  | 4.00(.157)  | 3.00(.118) | 16.00(.630)  |
| 10  | 2666P***L50 | *SP06402109  | 4.83(.190)  | 4.83(.190) | 11.43(.450)  |
| 11  | 2666P***L51 | *SP06401620  | 6.35(.250)  | 3.50(.138) | 6.35(.250)   |
| 12  | 2666P***L52 | *SP06403710  | 9.30(.366)  | 9.30(.366) | 18.50(.728)  |
| 13  | 2666P***L53 | *SP06402650  | 8.90(.350)  | 3.10(.122) | 14.50(.571)  |
| 14  | 2666P***L54 | *SP06402900  | 10.00(.394) | 3.00(.118) | 16.00(.630)  |
| 15  | 2666P***L55 | *SP06402500  | 6.10(.240)  | 3.20(.126) | 15.70(.618)  |
| 16  | 2666P***L56 | *SP06403000  | 6.10(.240)  | 3.20(.126) | 20.70(.815)  |
| 17  | 2666P***L57 | *SP06401770  | 6.60(.260)  | 3.30(.130) | 7.80(.307)   |
| 18  | 2666P***L58 | *SP06402350  | 3.05(.120)  | 3.05(.120) | 17.40(.685)  |
| 19  | 2666P***L59 | *SP06403124  | 5.20(.205)  | 2.80(.110) | 23.24(.915)  |
| 20  | 2666P***L60 | *SP06403865  | 6.30(.249)  | 2.71(.107) | 29.64(1.167) |

|      |          |     |       |                                 |                                                           |                   |         |                     |      |                         |
|------|----------|-----|-------|---------------------------------|-----------------------------------------------------------|-------------------|---------|---------------------|------|-------------------------|
| R    | E980194  |     |       | 臺灣龍傑股份有限公司<br>LEOCO CORPORATION | 2666P***L**<br>CHECKED BY:<br>DRAW BY:<br>Angela 5/12/'98 | TITLE:<br>Header  |         |                     |      |                         |
| Q    | E970344  |     |       |                                 |                                                           | GENERAL TOLERANCE |         |                     |      |                         |
| P    | E970211  |     |       |                                 |                                                           | X. ±              | X' ±    | 2'                  |      | DRAWING NO.:<br>266602S |
| □    | E970139  |     |       |                                 |                                                           | .X ±              | .X' ±   | $\frac{0.30}{.012}$ |      |                         |
| N    | E970117  |     |       |                                 |                                                           | .XX ±             | .XX' ±  | $\frac{0.20}{.008}$ |      |                         |
| REV. | ECO. NO. | CHG | APPD. |                                 |                                                           | .XXX ±            | .XXX' ± | $\frac{0.10}{.004}$ |      |                         |
|      |          |     |       |                                 | UNITS<br>mm / inch                                        | SCALE             | SIZE    | SHEET               | REV. |                         |
|      |          |     |       |                                 | ~                                                         | A4                | 3/4     | R                   |      |                         |

\* \* \* 2666 \* \* \*

Pin Length = Dim.C+Dim.D+Dim.E



| No. | Part No.    | Pin Part No. | Dim.C      | Dim.D      | Dim.E       |
|-----|-------------|--------------|------------|------------|-------------|
| 1   | 2666P***L61 | *SP06402223  | 5.72(.225) | 2.54(.100) | 13.97(.550) |
| 2   | 2666P***L62 | *SP06401408  | 6.00(.236) | 3.00(.118) | 5.08(.200)  |
| 3   | 2666P***L63 | *SP06401240  | 3.00(.118) | 3.00(.118) | 6.40(.252)  |
| 4   | 2666P***L64 | *SP06402069  | 5.08(.200) | 2.91(.115) | 12.70(.500) |
| 5   |             |              |            |            |             |
| 6   |             |              |            |            |             |
| 7   |             |              |            |            |             |
| 8   |             |              |            |            |             |
| 9   |             |              |            |            |             |
| 10  |             |              |            |            |             |
| 11  |             |              |            |            |             |
| 12  |             |              |            |            |             |
| 13  |             |              |            |            |             |
| 14  |             |              |            |            |             |
| 15  |             |              |            |            |             |
| 16  |             |              |            |            |             |
| 17  |             |              |            |            |             |
| 18  |             |              |            |            |             |
| 19  |             |              |            |            |             |
| 20  |             |              |            |            |             |

|      |          |     |       |                                   |                             |                         |                  |       |      |       |
|------|----------|-----|-------|-----------------------------------|-----------------------------|-------------------------|------------------|-------|------|-------|
| R    | E980194  |     |       | 臺灣龍傑股份有限公司<br>LEOCO CORPORATION   |                             | 2666P***L**             |                  |       |      |       |
| Q    | E970344  |     |       |                                   | GENERAL TOLERANCE           | CHECKED BY:             | TITLE:<br>Header |       |      |       |
| P    | E970211  |     |       | X. ±            X' ± 2'           | DRAW BY:<br>Angela 5/12/'98 | DRAWING NO.:<br>266602S |                  |       |      |       |
| □    | E970139  |     |       | .X ± $\frac{0.30}{.012}$ .X' ±    |                             |                         | UNITS            | SCALE | SIZE | SHEET |
| N    | E970117  |     |       | .XX ± $\frac{0.20}{.008}$ .XX' ±  | mm / inch                   |                         | ~                | A4    | 4/4  | R     |
| REV. | ECO. NO. | CHG | APPD. | .XXX ± $\frac{0.10}{.004}$ .XXX ± |                             |                         |                  |       |      |       |