



- [Home](#)
- [Part Number Search](#)
- [Document Search](#)
- [CAD Model Search](#)
- [Text Search](#)
- [Alternate/Lead Free Part Search](#)
- [Multiple Part Comparison](#)
- [Alphabetical Search](#)
- [Brand Search](#)
- [Industry Product Search](#)
- [Product Type Search](#)
- [Product Family Search](#)
- [Competitor Cross Reference](#)
- [Lead Free Solutions](#)
- [Tool Search](#)
- [Help/Glossary](#)

Subminiature and Microminiature D Connectors

Standard Board Mount Connectors

AMP **1-1470250-4** Active Active

[Not Reviewed for ELV/RoHS Compliance](#)

(Tyco Electronics P/N: 1-1470250-4)

[Search for Parts](#)

Document links for this part cannot be displayed. Your browser does not support inline frames or is currently configured not to display inline frames. Inline frames are supported in both Internet Explorer 5 and Netscape 6, as well as all later versions of these browsers.

Related Part Information		
General Information	eCommerce	Related Part Information
General Info Sales Info Assembly Subcontractors	Pricing Product Availability	Tooling

Searchable Features:	
Brand:	AMP
RoHS/ELV Compliance:	Not reviewed for compliance
No. of Positions:	15
Gender:	Receptacle
PCB Mount Angle:	Right Angle
Mating Connector Lock:	With
Mating Connector Lock Type:	Threaded Insert, 4-40 UNC
PCB Retention Feature:	With
PCB Retention Method Feature:	Boardlocks
Shell Type:	Front Metal Shell
Shell Size:	1
Panel Attachment:	No
Grounding Clips:	Without
Footprint (mm [in]):	8.89 [.350]
Termination Post Length (mm [in]):	2.15 [0.084]

Other Properties:	
Sealed:	No
Application:	Standard
Post Size (mm [in]):	0.66 [.026]
Contact Shape:	Round
Boardlock Hole Diameter (mm [in]):	3.20 [0.126]
Color:	Black
Housing Material:	Thermoplastic
Contact Material:	Copper Alloy
Insert Material:	Copper Alloy
Shell Material:	Low Carbon Steel
Shell Plating:	Nickel
Housing Flammability Rating:	UL 94V-0
Boardlock Material:	Copper Alloy
Boardlock Plating:	Tin-Lead over Nickel
Packaging Method:	Tray

PCB Thickness (in [mm]):	0.062 [1.57]
Contact Mating Area Plating:	Gold Flash
Solder Tail Plating:	Tin-Lead over Nickel
Grounding Indents:	Without
Grounding Straps:	Without
PCB Mount Style:	Thru Hole
Product Series:	HD-22
Color Code:	None
Region:	Asia/Pacific

[Copyright](#) and [Privacy Statement](#)

Visit [Tyco International Ltd.](#)

[Products](#) | [Catalog](#) | [Brands](#) | [Industries](#) | [Commerce](#) | [Supplier](#) | [Contact Us](#) | [About](#) | [Home](#)

i2 Technologies US, Inc.

HTML Pages converted to PDF Document

This document contains component information from the manufacturer's website which are not available in a revision controlled document from the manufacturer. To facilitate the addition of these parts into the Electronics Database, we are converting the HTML pages related to that part, from the manufacturer's website into Adobe PDF format. The contents of this document is based on the information provided on the manufacturer's website, therefore the information may have been changed by the manufacturer since this was created.

