


# MAJOR LEAGUE ELECTRONICS

## .100" c.l. Low Profile Terminal Strip Headers-Right Angle Elevated



LTSHRE - 1 [ ] - S - [ ] - [ ] - [ ] - [ ]



(Metric Dimensions)

**Plating Options**

- G = 10μ in gold in contact area, gold flash on tail
- GT = 10μ in gold in contact area, 200μ in tin/lead on tail
- H = 30μ gold on contact area, 200μ in tin/lead on tail
- T = 200μ in tin/lead over entire pin




Other plating options available upon request

**Lock Tight Option**  
Two tails per strip are crimped in opposing directions on or near the centerline. Must have a minimum tail dimension of .090". Recommended hole size of .040".

**Position for Polarization Option** 001-100

**EXAMPLE:** To order a low profile elevated right angle header, 25 positions, a .330 tail, with tin plating the part number would be **LTSHRE-125-S-20-T**. To order a low profile elevated right angle header, 50 positions, a .630 tail with all gold plating and with a retent feature the part number would be **LTSHRE-150-S-26-G-LT**.

Mates with: SSSH, SSSHR, SH, BSSH, BSSHC, BSSQ, SSSHM, SSSHQ, SSSHR



Product cut to specific sizes is noncancellable/nonreturnable. Parts are subject to change without notice.

### Materials & Performance Specifications

	STANDARD	HIGH TEMPERATURE
Insulator	Black, glass filled, polyester	High temperature thermoplastic
Terminal	Phosphor Bronze	Phosphor Bronze
Insulation Resistance	5,000M Ω minimum	5,000M Ω minimum
Flammability	UL 94V-O	UL 94V-O
Temperature Range	-65°C to +125°C	-65°C to +250°C
Current Rating	3 ampere	3 ampere
Plating	All Plating Options over 50μ in Ni	All Plating Options over 50μ in Ni



**Delivery On Time. Every Time...Or The Order's Free!**

D 24F 9019296 0000011 649 Phone: 812-944-7244 • Facsimile: 812-944-7268 • Email: mle@iglou.com

.100"