



Part Number : 134213016

Product Description : Alien Enterprise 4-port Fixed RFID Reader Kit with Multi-Reader Management, 4 Additional Readers Supported, 916-928 MHz, for Uruguay and Peru

Series Number : 13421

Status : Obsolete

Product Category : RFID Readers

Engineering Number : F800-URY-X-RDR-KIT

Documents & Resources

Product Environment Compliance

Compliance

China RoHS	Not Reviewed
EU ELV	Not Reviewed
Low-Halogen Status	Not Reviewed
REACH SVHC	Not Reviewed
EU RoHS	Not Reviewed

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen
- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Obsolete
Category	RFID Readers
Series	13421

Description	Alien Enterprise 4-port Fixed RFID Reader Kit with Multi-Reader Management, 4 Additional Readers Supported, 916-928 MHz, for Uruguay and Peru
Component Type	Fixed RFID Reader
Kit Components	Reader, PoE Injector, Power Cable for PoE Injector/Reader, Two Ethernet Cables, USB Cable (Type B to A), I/O Mating Connector)
Kit Option	Reader Kit
LAN Protocols	TCP/IP,NTP,DNS,DHCP,SNMP
Market	Peru, Uruguay
Product Family	Asset Tracking Solutions
Product Name	Alien
Reader Protocols	ARP,LLRP
RFID Standard	EPC C1 Gen 2,ISO 18000-6c
Type	Enterprise w/Multi-Reader Mgmt
UPC	193264421855

Electrical

Frequency	916-928 MHz
Max Conductive RF Power (dBm)	31.6
Power Source	PoE,AC/DC Power Converter

Physical

Additional Readers Supported	Up to 4
Antennas	Up to 4 Supported
Communications	LAN TCP/IP (RJ-45), RS-232 (DB-9 F), USB Console, USB Host
Dimensions	202.00 x 191.00 x 28.00mm
General Purpose I/O	4 in / 8 out (Isolated)
Memory	1 GB RAM,2 GB Flash
Operating System	Linux
Packaging Type	Carton
Software SDK	Java,.NET,Ruby APIs
Temperature Range - Operating	-20° to +50°C

This document was generated on Sep 09, 2024