

CGS | CGS 3540 TE Internal #: 4-2176400-8 Power Resistor, Thick Metal Film, 4 W, 91 Ω, 1 %, ±100 ppm/°C, Solder, 2 Termination, Height .043 in [1.1 mm], Length .28 in [7.1 mm], CGS 3540

View on TE.com >





Resistor Type: Power Resistor

Element Type: Thick Metal Film

Power Rating: 4W

Resistance Value: 91 Ω

Resistance Class: Up to $1k\Omega$

Features

Connectivity

Product Type Features

Resistor Type	Power Resistor
Element Type	Thick Metal Film
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Operating Voltage	250 V
Power Rating	4 W
Resistance Value	91 Ω
Resistance Class	Up to 1kΩ
Passive Component Tolerance	1 %
Termination Features	
Surface Mount Resistor Termination Type	Solder
Number of Terminations	2

354091RFT

Power Resistor, Thick Metal Film, 4 W, 91 Ω, 1 %, ±100 ppm/°C, Solder, 2 Termination, Height .043 in [1.1 mm], Length .28 in [7.1 mm], CGS 3540



Dimensions

Product Height	1.1 mm[.043 in]
Product Length	7.1 mm[.28 in]
Product Width	4.2 mm[.165 in]
Usage Conditions	
Temperature Coefficient	±100 ppm/°C
Packaging Features	
Packaging Method	Taped & Reeled
Product Compliance	
For compliance documentation, visit the product page on TE.com>	

EU ELV Directive 2000/53/EC China RoHS 2 Directive MIIT Order No 32, 2016

EU REACH Regulation (EC) No. 1907/2006

EU RoHS Directive 2011/65/EU

Compliant

Compliant with Exemptions

No Restricted Materials Above Threshold

Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Reflow solder capable to 260°C

Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

354091RFT

Power Resistor, Thick Metal Film, 4 W, 91 Ω , 1 %, ±100 ppm/°C, Solder, 2 Termination, Height .043 in [1.1 mm], Length .28 in [7.1 mm], CGS 3540








Also in the Series CGS 3540



Surface Mount Resistors(254)



Customers Also Bought



354091RFT

Power Resistor, Thick Metal Film, 4 W, 91 Ω, 1 %, ±100 ppm/°C, Solder, 2 Termination, Height .043 in [1.1 mm], Length .28 in [7.1 mm], CGS 3540



Product Drawings				
3540 91R 1%				
English				
CAD Files				
3D PDF				
3D				
By downloading the CAD file I accept and agr	e to the Terms and Conditions of use.			

English