




Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Cluster Blocks



Number of Circuits: 3

Primary Product Material: PA6

Operating Temperature Range: -20 – 120 °C [-4 – 248 °F]

### Features

#### Configuration Features

Number of Circuits	3
--------------------	---

#### Body Features

Primary Product Material	PA6
--------------------------	-----

#### Usage Conditions

Operating Temperature Range	-20 – 120 °C [-4 – 248 °F]
-----------------------------	----------------------------

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Pin-in-Paste capable to 245°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts



TE Part # 1217264-1  
RCPT 090 CLSTR PIN 22-14



TE Part # 1742964-1  
2.29 DIA CLUSTER PIN AMPLV REC  
1600-4800



TE Part # 1742981-1  
2.29 DIA CLUST PIN AMPLVR REC 400-  
1600

### Customers Also Bought



TE Part #5-917692-1  
2.5 SIGNAL D/LOCK PLUG HSG 8P  
(GWT)



TE Part #316086-1  
2.5 SIGNAL D/LOCK CAP HSG 2P



TE Part #62253-2  
250 FASTON REC 14-10 TPBR



TE Part #63498-1  
PL 187 TERMINAL REC 20-16 AWG  
TPBR



TE Part #175164-1  
250 PL EX REC. 18-14AWG ST



TE Part #6-160430-6  
187 FASTON REC 20-16 AWG BR



TE Part #1827387-1  
GIC 3.3 PLUG HOUSING 8P



TE Part #1744416-5  
5 POS EP II HSG, GLOW WIRE



## Documents

### Product Drawings

#### 3P CLUSTER BLOCK HOUSING

English

### CAD Files

#### 3D PDF

3D

#### Customer View Model

[ENG\\_CVM\\_CVM\\_1955415-1\\_A.2d\\_dxf.zip](#)

English

#### Customer View Model

[ENG\\_CVM\\_CVM\\_1955415-1\\_A.3d\\_igs.zip](#)

English

#### Customer View Model

[ENG\\_CVM\\_CVM\\_1955415-1\\_A.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Product Specifications

#### Application Specification

English

### Agency Approvals

#### UL Report

English