



Energy & Power > Power Cable Accessories > Power Cable Terminations > Heat Shrink Terminations: 1C/3C, Indoor



Power Cable Termination Product Availability: **Americas, Asia, Australia, New Zealand & Pacific Islands, China, Europe, Middle East & Africa**

Installation Instruction: **English**

Power Cable Termination Technology: **Heat Shrink**

Power Cable Termination Voltage Class: **6.35/11(12) kV**

Cable Shield Style: **Wire**

[All Heat Shrink Terminations: 1C/3C, Indoor \(116\)](#)

Features

Product Type Features

Product Family	IXSU-F
Shelf Life	Unlimited
Power Cable Termination Technology	Heat Shrink
Cable Shield Style	Wire
Insulation	Plastic
Termination Length	300 mm
Mechanical Connectors Included	No

Configuration Features

Number of Cores	3
-----------------	---

Electrical Characteristics

Power Cable Termination Voltage Class	6.35/11(12) kV
---------------------------------------	----------------

Dimensions

Power Cable Termination Tail Length	1200 mm[47.244 in]
-------------------------------------	--------------------

Operation/Application

Application Type	Indoor
------------------	--------



Industry Standards

Design Specification	CENELEC HD 620 A2, HD CENELEC 629.1, IEC 60502-4
----------------------	--

Product Availability

Power Cable Termination Product Availability	Americas, Asia, Australia, New Zealand & Pacific Islands, China, Europe, Middle East & Africa
--	---

Other

Installation Instruction	English
--------------------------	---------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Also in the Series | [RAYCHEM IXSU](#)



Power Cable Terminations(116)

Customers Also Bought



TE Part #381522-000
MWTM-25/8-1000/S(S10)



TE Part #A23668-000
Mechanical Lugs: up to 84 kV



TE Part #422037-000
Heat Shrink Terminations: 1C/3C,
Indoor



TE Part #E96021-000
BSM-95/240-U



TE Part #CS0650-005
MXSU-6171



TE Part #191081-000
MXSU-5111

Documents

Product Drawings

[IXSU-F3324](#)

English

Datasheets & Catalog Pages

[IXSU-F-OXSU-F-CABLE-ACCESSORIES](#)

English

Instruction Sheets

[Instruction Sheet \(non U.S.\)](#)

English

[Instruction Sheet \(non U.S.\)](#)

[Instruction Sheet \(non U.S.\)](#)

French

[Instruction Sheet \(non U.S.\)](#)

[Instruction Sheet \(non U.S.\)](#)



German

[Instruction Sheet \(non U.S.\)](#)

[Instruction Sheet \(non U.S.\)](#)