# **1-583718-1** O DO NOT USE FOR NEW DESIGN

AMP | AMP Twin-Leaf TE Internal #: 1-583718-1 Housing, Receptacle, Wire-to-Board, 25 Position, .1 in [2.54 mm] Centerline, Crimp, 2 Row, Black, Mating Retention, AMP Twin-Leaf View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings

$\Phi$		•

Connector Product Type: Housing

Connector & Housing Type: Receptacle

Connector System: Wire-to-Board

Number of Positions: 25

Centerline (Pitch): 2.54 mm [.1 in]

#### Features

#### **Product Type Features**

Connector Product Type	Housing
Connector & Housing Type	Receptacle
Connector System	Wire-to-Board
Connector & Contact Terminates To	Printed Circuit Board

#### **Configuration Features**

Number of Dual Positions	25		
Number of Positions	25		
Number of Rows	2		
Body Features			
Primary Product Color	Black		
Contact Features			
Contact Current Rating (Max)	5 A		
Termination Features			
Termination Method to Wire & Cable	Crimp		
Mechanical Attachment			
Strain Relief	Without		
PCB Mount Retention	Without		
Panel Mount Feature Type	Mounting Ears		

**C** For support call+1 800 522 6752

## 1-583718-1

Housing, Receptacle, Wire-to-Board, 25 Position, .1 in [2.54 mm] Centerline, Crimp, 2 Row, Black, Mating Retention, AMP Twin-Leaf



Mating Retention	With
Connector Mounting Type	Board Mount
Housing Features	
Housing Material	Polyester GF
Centerline (Pitch)	2.54 mm[.1 in]
Dimensions	
	.75 in
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operation/Application	
Circuit Application	Power & Signal
Industry Standards	
Glow Wire Rating	Standard Part - Not Glow Wire
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	200
Packaging Method	Carton

# Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as


## 1-583718-1

Housing, Receptacle, Wire-to-Board, 25 Position, .1 in [2.54 mm] Centerline, Crimp, 2 Row, Black, Mating Retention, AMP Twin-Leaf



EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Also in the Series | AMP Twin-Leaf



# Customers Also Bought





## 1-583718-1

Housing, Receptacle, Wire-to-Board, 25 Position, .1 in [2.54 mm] Centerline, Crimp, 2 Row, Black, Mating Retention, AMP Twin-Leaf



## Documents

Product Drawings TW-LEAF CRP HSG 25 POS 100 C/L

English

#### **CAD** Files

Customer View Model ENG\_CVM\_CVM\_1-583718-1\_AS.2d\_dxf.zip

English

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_1-583718-1\_AS.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_1-583718-1\_AS.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Product Specifications** 

**Product Specification** 

English

**Product Specification** 

English

Instruction Sheets Instruction Sheet (U.S.)

English

Agency Approvals UL

English