




Connectors > Connector Accessories > Connector Caps & Covers



Connector Cover Type: **Strain Relief Cover**

Primary Product Color: **Natural**

Primary Product Material: **Polyester**

Number of Positions: **16**

Operating Temperature (Max): **105 °C [ 221 °F ]**

## Features

### Product Type Features

Product Profile	Standard
Connector Cover Type	Strain Relief Cover

### Configuration Features

Number of Positions	16
---------------------	----

### Body Features

Primary Product Color	Natural
Primary Product Material	Polyester

### Mechanical Attachment

Strain Relief	With
---------------	------

### Housing Features

Centerline (Pitch)	3.96 mm [.156 in]
--------------------	-------------------

### Usage Conditions

Compatible With IDC Installation Type Connector	Closed End
Operating Temperature (Max)	105 °C [221 °F]

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

### Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer





This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts

 <p>TE Part # CAT-103156-WBHSM Receptacle Housing: Wire-to-Board, with Mating Alignment, SL156</p>	 <p>TE Part # 1-640388-6 16P MTA156 HDR ASSY RN STR F/L</p>	 <p>TE Part # 1-640383-6 16P MTA156 HDR ASSY STR SQ SN</p>	 <p>TE Part # 1-640445-6 16P MTA156 HDR ASSY FL/STR SN</p>
---	---	---	---



Also in the Series | **MTA 156**





PCB Headers & Receptacles(317)



Rectangular Power Connectors(691)



Standard Rectangular Connectors(336)

## Customers Also Bought




TE Part #5205207-1  
HD RECPT ASSY SIZE 3




TE Part #5205208-1  
CRIMP SNAP PLUG ASSY, 25 POS



TE Part #1658622-6  
26 NOVO MIL/CTR 30DP, LEAD FREE



TE Part #640551-5  
05P MTA156 COVER



TE Part #640551-6  
06P MTA156 COVER




TE Part #3-640426-6  
06P MTA156 CONN ASSY 18AWG ORA



TE Part #3-640426-8  
08P MTA156 CONN ASSY 18AWG ORA



TE Part #640583-1  
06P UMNL HDR ASSY R/A 94VO



TE Part #640551-8  
08P MTA156 COVER



TE Part #51863  
TERM, R, PIDG, 22-16/22-18, #6(M3.5)

## Documents

**Product Drawings**  
16P MTA156 COVER

English

**CAD Files**

3D PDF

3D

**Customer View Model**

ENG\_CVM\_CVM\_1-640551-6\_G.2d\_dxf.zip



English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_1-640551-6\\_G.3d\\_igs.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_1-640551-6\\_G.3d\\_stp.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_1-640551-6\\_L.3d\\_igs.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_1-640551-6\\_L.3d\\_stp.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_1-640551-6\\_L.2d\\_dxf.zip](#)

English

**3D PDF**

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### **Product Specifications**

**Application Specification**

Japanese

**Application Specification**

English

**MTA 156 Ribbon Cable Connector Assemblies (English And Spanish)**

English

**MTA 156 Ribbon Cable Connector Assemblies (English And Spanish)**

Japanese