

SIMEL | SIMAFLEX

TE Internal #: 2349083-1 Mechanical Connectors, Americas / Europe, Middle East & Africa / Asia (Except China), Bolted, ≤ 500 kV, Copper / Aluminum, Stranded / Stud, SIMAFLEX

View on TE.com >

Energy & Power > Power Systems Connectors > Mechanical Connectors > High Voltage Flexible Cable Connectors



Mechanical Connector Product Availability: Americas, Asia (Except China), Europe, Middle East & Africa

Mechanical Connector Technology: Bolted

Mechanical Connector Voltage Class: **< 500 kV**

Mechanical Connector Conductor Material: Aluminum, Copper

Conductor Type: Stranded, Stud

All High Voltage Flexible Cable Connectors (807)

Features

Product Type Features

Product Family

Simaflex



| Mechanical Connector Technology | Bolted |
|---|-------------------------|
| Mechanical Connector Material | Aluminum Alloy |
| Configuration Features | |
| Number of Contact Bolts | 8 |
| Electrical Characteristics | |
| Mechanical Connector Voltage Class | \leq 500 kV |
| Body Features | |
| Mechanical Connector Conductor Material | Aluminum, Copper |
| Conductor Type | Stranded, Stud |
| Dimensions | |
| Conductor Range | 266 kcmil, 477 kcmil |
| Stud Size | 30 |
| Bolt Head Size (Across Flats) | 17 mm |
| Conductor Range (Main) | 15120.5 mm ² |
| | |

2349083-1

Mechanical Connectors, Americas / Europe, Middle East & Africa / Asia (Except China), Bolted, ≤ 500 kV, Copper / Aluminum, Stranded / Stud, SIMAFLEX



| | 266 AWG/kcmil[477 AWG/kcmil] |
|--|--|
| Operation/Application | |
| Free of Lead, Cadmium, Heavy Metals | Yes |
| Application Type | Tee Connector |
| Indoor Use | Yes |
| Outdoor Use | Yes |
| Industry Standards | |
| Standards | IEC, NEMA |
| REACH Compliance | Yes |
| Product Availability | |
| Mechanical Connector Product Availability | Americas, Asia (Except China), Europe, Middle East & Africa |
| Product Compliance For compliance documentation, visit the product page on TE.com> | |
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |

China RoHS 2 Directive MIIT Order No 32, 2016

No Restricted Materials Above Threshold

| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUN 2018 (191) SVHC > Threshold: Not Yet Reviewed |
|--|--|
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Soldor Process Conshility | Not applicable for colder process capability |

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An

2349083-1

Mechanical Connectors, Americas / Europe, Middle East & Africa / Asia (Except China), Bolted, ≤ 500 kV, Copper / Aluminum, Stranded / Stud, SIMAFLEX



Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts




Also in the Series | SIMAFLEX



Mechanical Connectors(811)

Customers Also Bought





Documents

2349083-1

Mechanical Connectors, Americas / Europe, Middle East & Africa / Asia (Except China), Bolted, ≤ 500 kV, Copper / Aluminum, Stranded / Stud, SIMAFLEX



Product Drawings 5 CT 84 S205 MK305

English

5 CT 84 S205 MK305

English

Datasheets & Catalog Pages SIMAFLEX SUBSTATION CONNECTOR SYSTEM

English