




Connectors > Connector Accessories > Connector Caps & Covers



Connector Cover Type: **Strain Relief Cover**

Primary Product Color: **Natural**

Primary Product Material: **Polyester**

Number of Positions: **12**

Operating Temperature (Max): **105 °C [221 °F]**

Features

Product Type Features

Product Profile	Standard
Connector Cover Type	Strain Relief Cover

Configuration Features

Number of Positions	12
---------------------	----

Body Features

Primary Product Color	Natural
Primary Product Material	Polyester

Mechanical Attachment

Strain Relief	With
---------------	------

Housing Features

Centerline (Pitch)	3.96 mm [.156 in]
--------------------	-------------------

Usage Conditions

Compatible With IDC Installation Type Connector	Closed End
Operating Temperature (Max)	105 °C [221 °F]



Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-103156-WBHSM
Receptacle Housing: Wire-to-Board, with Mating Alignment, SL156



TE Part # 1-640251-2
12P SL156 HSG W/O LCK RAMP







TE Part # 4-640427-2
12P MTA156 CONN ASSY 20AWG YEL



TE Part # 4-641210-2
12P MTA156 HDR FLRA FB 30AU LF

 <p>TE Part # 4-640432-2 12P MTA156 CONN ASSY 20AWG YEL</p>	 <p>TE Part # 4-641435-2 12P MTA156 CONN ASSY ORNG</p>	 <p>TE Part # 1-640385-2 12P MTA156 HDR ASSY SQ R/A</p>	 <p>TE Part # 1-640389-2 12P MTA156 HDR ASSY SQ R/A F/L</p>
 <p>TE Part # 4-643818-2 12P MTA156 CONN ASSY 20AWG YEL</p>	 <p>TE Part # 4-640428-2 12P MTA156 CONN ASSY 22AWG RED</p>	 <p>TE Part # 4-640431-2 12P MTA156 CONN ASSY 18AWG ORA</p>	 <p>TE Part # 4-640426-2 12P MTA156 CONN ASSY 18AWG ORA</p>
 <p>TE Part # 4-640430-2 12P MTA156 CONN ASSY 26AWG BLU</p>	 <p>TE Part # 4-644460-2 12P MTA156 CONN ASSY 18AWG ORA</p>	 <p>TE Part # 4-643819-2 12P MTA156 CONN ASSY 22AWG LF</p>	 <p>TE Part # 1-640388-2 12P MTA156 HDR ASSY RN STR F/L</p>
 <p>TE Part # 4-643817-2 12P MTA156 CONN ASSY 18AWG LF</p>	 <p>TE Part # 1-640445-2 12P MTA156 HDR ASSY FL/STR SN</p>	 <p>TE Part # 4-640599-2 12P MTA156 CONN ASSY 18AWG ORA</p>	 <p>TE Part # 641623-1 MTA156 KEYING PLUG (10/STRIP) ORA</p>

Also in the Series | **MTA 156**

 <p>Connector Caps & Covers(89)</p>	 <p>Connector Contacts(4)</p>	 <p>Connector Hardware(2)</p>	 <p>Insertion & Extraction Tools(1)</p>
--	--	--	--



PCB Headers & Receptacles(317)



Rectangular Power Connectors(691)



Standard Rectangular Connectors(336)

Customers Also Bought



TE Part #640550-2
Polyester PCB Connector Covers: 2.54 mm, MTA 100



TE Part #4-640427-2
12P MTA156 CONN ASSY 20AWG YEL




TE Part #4-640431-2
12P MTA156 CONN ASSY 18AWG ORA




TE Part #1-350944-0
04P UMNL HDR ASSY R/A 94VO



TE Part #3-640428-4
04P MTA156 CONN ASSY 22AWG RED



TE Part #640551-4
04P MTA156 COVER



TE Part #640551-3
03P MTA156 COVER



TE Part #32950
PG R 22-16 COMM 22-18 MIL 6



TE Part #32952
PG R 22-16 COMM 22-18 MIL 10

Documents

[Product Drawings](#)
[12P MTA156 COVER](#)

English

[CAD Files](#)

[3D PDF](#)

[3D](#)

[Customer View Model](#)

[ENG_CVM_CVM_1-640551-2_G.2d_dxf.zip](#)



English

Customer View Model

[ENG_CVM_CVM_1-640551-2_G.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-640551-2_G.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_1-640551-2_L.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_1-640551-2_L.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_1-640551-2_L.2d_dxf.zip](#)

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

Japanese

Application Specification

English

MTA 156 Ribbon Cable Connector Assemblies (English And Spanish)

English

MTA 156 Ribbon Cable Connector Assemblies (English And Spanish)

Japanese