202C632-71-0 - ACTIVE


RAYCHEM

TE Internal #: 806088-000 Heat Shrink Boots, Straight, Size 202, Lipped, 71, 10, Adhesive Purchased Separately Adhesive Requirement, -55 – 135 °C [-67 – 275 °F]

View on TE.com >



Wire Protection & Management > Heat Shrink Shapes > Heat Shrink Boots > Convoluted Heat Shrink Uni Boots: Lipped, Straight



Body Orientation: Straight

Molded Part Shape Code: 202

Lipped: Yes

Material Code: 71

Material Systems Code: 10

All Convoluted Heat Shrink Uni Boots: Lipped, Straight (59)

Features

Configuration Features

Lipped

Yes

Adhesive Requirement

Adhesive Purchased Separately

Body Features

Primary Product Material	Semi-Rigid Modified Polyolefin
Material Code	71
Material Systems Code	10
Housing Features	
Body Orientation	Straight
Dimensions	
Compatible Cable Diameter (Max)	14 mm, 16 mm, 18 mm, 20 mm, 22 mm[.55 in][.63 in][.71 in][.78 in][.86 in]
Compatible Cable Diameter Range	12.7 – 29 mm[.5 – 1.142 in]
Usage Conditions	
Operating Temperature Range	-55 – 135 °C[-67 – 275 °F]
Resistance Protection	Long-Term Fluid Exposure at High Temperatures
Industry Standards	

C For support call+1 800 522 6752

202C632-71-0

Heat Shrink Boots, Straight, Size 202, Lipped, 71, 10, Adhesive Purchased Separately Adhesive Requirement, -55 – 135 °C [-67 – 275 °F]



Compatible With Approved Standards Products	SAE AS I 81765/1, Type I
Other	
Molded Part Shape Code	202
Product Compliance	
or compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024
	(241)
	Candidate List Declared Against: JAN 2024
	(240) Does not contain REACH SVHC
Halogen Content	Out of Scope - excluded from Halogen requirements
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Customers Also Bought

202C632-71-0

Heat Shrink Boots, Straight, Size 202, Lipped, 71, 10, Adhesive Purchased Separately Adhesive Requirement, -55 – 135 °C [-67 – 275 °F]





Documents

Product Drawings 202C632-71-0

English

Datasheets & Catalog Pages 1654025_Sec4_-71

English

Raychem Molded Parts Visual Guide

English

Product Specifications Product Specification

English