




HARNESSING

CABLE BRAIDS



✓ Active

TE CONNECTIVITY (TE)

LWB-101-3.0(100)

LWB-101-3.0(100)

TE Internal Number: EG3236-000

[EU RoHS Compliant](#)

[EU ELV Compliant](#)

Product Type Braid

Plating Tin

Braid Material Copper Alloy

Braid Coverage (%) 90 (Min)

[↓ PRODUCT DRAWING](#)
English

DOCUMENTATION

Product Drawings

INSTALITE LIGHTWEIGHT SCREENING BRAID

PDF

English

FEATURES

Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

Product Type Braid

Electrical Characteristics

DC Resistance (Nominal) (mΩ) 28

Body Features

Plating Tin

Braid Material Copper Alloy

Dimensions

Cable Entry Diameter 3 – 4.5 mm [.118 – .177 in]

Length (ft) 328.08

Length (m) 100

Weight (Nominal) (kg/km) 8.5

Usage Conditions

Operating Temperature Range (°C) -65 – 150

Packaging Features

Packaging Quantity 100

Packaging Method Reel

Other

Braid Coverage (%) 90 (Min)

Statement of Compliance

Statement of Compliance

PDF
