



OK Industries · Division of Jonard Industries Corp.

**Our Products**

- Wire Wrap & Unwrap Tools
- ImpactPlus Punch Down Tools
- Application & Technology Notes
- Circuit Assembly Tools

**Distributors & Representatives**

**About OK Industries**

- What's New
- Catalog/Information Request
- Trade Shows
- Career Opportunities
- Comments / Email


OK Industries · Division of



## Wire Rolls

- KYNAR™ Insulated, Silver Plated Copper Conductor
- KSW Wire Wrapping Rolls for Cut/Strip/Wrap Applications
- Wire Reel Holder

### KYNAR™ Insulated, Silver Plated Copper Conductor



UL Listed

#### 24 AWG (0.50mm) Insulated diameter 0.030" (0.76mm)

Roll Size	White	Yellow	Blue	Red	Black
100ft. (30.4m) roll	R24W- 0100	R24Y- 0100	R24B- 0100	R24R- 0100	R24BLK-0100

#### 26 AWG (0.40mm) Insulation diameter 0.027" (0.69mm)

Roll Size	White	Yellow	Blue	Red	Black
100ft. (30.4m) roll	R26W- 0100	R26Y- 0100	R26B- 0100	R26R- 0100	R26BLK-0100

#### 28 AWG (0.32mm) Insulation diameter 0.024" (0.60mm)

Roll Size	White	Yellow	Blue	Red	Black
100ft. (30.4m) roll	R28W- 0100	R28Y- 0100	R28B- 0100	R28R- 0100	R28BLK-0100

#### 30 AWG (0.25mm) Insulation diameter 0.0195" (0.50mm)

Roll Size	White	Yellow	Blue	Red	Black
100ft. (30.4m) roll	R30W- 0100	R30Y- 0100	R30B- 0100	R30R- 0100	R30BLK-0100
1000ft. (304.0m) roll	R30W- 1000	R30Y- 1000	R30B- 1000	R30R- 1000	R30BLK-1000

Note: Additional colors and larger roll sizes may be available, please contact factory for details.

[\[Back to the Top\]](#)

## KSW Wire Wrapping Wire Rolls for Cut/Strip/Wrap Applications

Low strip force Kynar™ insulated wire for OK Industries CSW bits and sleeves.

Wire Size		Insulation Dia.		Roll Size		Part No.	Color						
AWG	mm	In.	mm	Feet	Meters								
24	0.50	0.030	0.76	100	30.4	<b>KSW 24B-0100</b>	Blue						
						<b>KSW 24Y-0100</b>	Yellow						
						<b>KSW 24W-0100</b>	White						
						<b>KSW 24BLK-0100</b>	Black						
						<b>KSW 24R-0100</b>	Red						
26	0.40	0.027	0.69	100	30.4	<b>KSW 26B-0100</b>	Blue						
						<b>KSW 26Y-0100</b>	Yellow						
						<b>KSW 26W-0100</b>	White						
						<b>KSW 26BLK-0100</b>	Black						
						<b>KSW 26R-0100</b>	Red						
28	0.32	0.0235	0.58	100	30.4	<b>KSW 28B-0100</b>	Blue						
						<b>KSW 28Y-0100</b>	Yellow						
						<b>KSW 28W-0100</b>	White						
						<b>KSW 28BLK-0100</b>	Black						
						<b>KSW 28R-0100</b>	Red						
						30	0.25	0.0195	0.50	100	30.4	<b>KSW 30B-0100</b>	Blue
												<b>KSW 30Y-0100</b>	Yellow
												<b>KSW 30W-0100</b>	White
												<b>KSW 30BLK-0100</b>	Black
												<b>KSW 30R-0100</b>	Red
30	0.25	0.0195	0.50	1000	304.0	<b>KSW 30B-1000</b>	Blue						
						<b>KSW 30Y-1000</b>	Yellow						
						<b>KSW 30W-1000</b>	White						
						<b>KSW 30BLK-1000</b>	Black						
						<b>KSW 30R-1000</b>	Red						

Kynar™ Pennwalt Note: Larger quantities will be quoted upon request.

[\[Back to the Top\]](#)

## Wire Reel Holder - RK420

The RK series Wire Reel Holders are ideal for all production environments in which harness, assembly and wiring work are undertaken. It is equipped with a wooden rod



**RK315**

reel carrier and a tension bar to keep reels revolving without overriding or backlash to tangle the wire. The soft plastic edge of the tension bar acts as a static brush to remove lint and dust from the wire as it is pulled out for use. The unit, with the reels removed can be folded flat for convenience in storing. The RK420 unit handles 4 wire reels.

Part No.	Weight	Length	Width	Height
<b>RK420</b>	3 lbs. (1.4 kg)	20" (508mm)	7" (178mm)	8" (203mm)

---

[\[Back to the Top\]](#)

---