

https://www.phoenixcontact.com/us/products/1734634



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

Coding profile, is inserted into the slot on the plug or inverted header, red insulating material



#### **Commercial Data**

Item number	1734634
Packing unit	1 pc
Minimum order quantity	100 pc
Sales Key	AA08
Product Key	AAHZBC
Catalog Page	Page 262 (C-1-2013)
GTIN	4017918026929
Weight per Piece (including packing)	0.135 g
Weight per Piece (excluding packing)	0.133 g
Customs tariff number	39269097
Country of origin	PL



https://www.phoenixcontact.com/us/products/1734634



### **Technical Data**

#### Product properties

Product type	Coding element
Product family	CODIERUNG
Number of positions	1
Pitch	0 mm

#### Material specifications

Color	red
Flammability rating according to UL 94	НВ

#### Dimensions

Pitch	0 mm
FILGI	O IIIIII

#### Notes

General	The packing unit (PU) refers to individual coding profiles. Six
	coding profiles are located on a coding star.



https://www.phoenixcontact.com/us/products/1734634



### Classifications

#### **ECLASS**

ECLASS-11.0	27460401	
ECLASS-13.0	27460401	
ECLASS-12.0	27460401	
ETIM		
ETIM 8.0	EC002943	

UN	ISPSC	
	UNSPSC 21.0	39121400

1734634

https://www.phoenixcontact.com/us/products/1734634



### **Environmental Product Compliance**

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com