



0


[Heatsinks](#) » [Profile heatsinks and fluid coolers](#) » [Standard extruded heatsinks](#) » [SK 560 ...](#) » [SK 560](#) » **SK 560 100 SA**
Standard extruded heatsinksSK 560 ...
SK 560 100 SA

27 x 14 mm

surface:

black anodised


length:

100 mm

Quantity



1

 **Add to inquiry****Overview**

Features

Variants

Technical Drawing

Service

Data sheet



Features

thermal resistance:	10.2 - 4 K/W
surface:	black anodised
height:	14 mm
width:	27 mm
length:	100 mm
plate thickness:	2.5 mm

Variants**SK 560 100 SA**

- surface: black anodised
- length: 100 mm

Technical Drawing



Service

Drawing format (such as PDF, CAD)



PDF



DXF



IGS



STP

Technical explanations



Technical introduction

Data sheet



Data sheet

Products

[Heatsinks f.cool - product search](#)

[Thermally conductive material](#)

[Cases f.case - product search](#)

[Connectors f.con - product search](#)

Company

[Guidelines](#)

[The enterprise](#)

[Certification](#)

[Contract Terms and Conditions ...](#)

[General sales conditions](#)

[General Terms and Conditions ...](#)

Latest news

[Press releases](#)

[Newsletter](#)

[Exhibitions and Conventions](#)

Service

[Catalogue](#)

[Newsletter subscription](#)

[Sample](#)

[Downloads](#)

[Technical informations](#)

[Links](#)

[Sampling](#)

Contact

[Representations worldwide](#)

[Distributors worldwide](#)

[Itinerary](#)



In order to optimize our website for you and to be able to continuously improve it, we use cookies. By continuing to use the website, you agree to the use of cookies. [More Info](#)

[Agreed](#)