



CONNECTORS

LEADFRAMES



✓ Active

TE CONNECTIVITY (TE)

CONTACTS DIL DOUBL

1544169-4

TE Internal Number: 1544169-4

Alias ID: 5191448244111

EU RoHS Compliant

EU ELV Compliant

Standoff Height 2 mm [.079 in]

Clip Style Dual-In-Line (DIL)

Centerline (Pitch) (in) .1

Centerline (mm) 2.54

PCB Thickness 1 mm [.039 in]

[↓ PRODUCT DRAWING](#)
French

[↓ 3D PDF](#)

DOCUMENTATION

Product Drawings

CONTACT A SOUDER DIL

PDF (TIFF AVAILABLE)

French

CAD Files

3D PDF

PDF

3D

Customer View Model

2D_DXF.ZIP

English

Customer View Model

3D_IGS.ZIP

English

Customer View Model

3D_STP.ZIP

English

FEATURES



Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

Product Type Leadframe

Configuration Features

Solder Inlay Without
Winding Direction Left

Body Features

Clip Style Dual-In-Line (DIL)
Hold-Down Feature Without
Clip Length 1.25 mm [.049 in]
Frame Thickness .25 mm [.01 in]
Clip Type F1
Frame Width 18.1 mm [.712 in]

Contact Features

Contact Plating Material Tin over Nickel
Pin Length 8.4 mm [.331 in]
Contact Base Material Phosphor Bronze

Termination Features

Contact Termination Type Through Hole

Housing Features

Centerline (Pitch) (in) .1
Centerline (mm) 2.54

Dimensions

PCB Thickness 1 mm [.039 in]
Standoff Height 2 mm [.079 in]
Gap Size .87 mm [.034 in]

Packaging Features

Packaging Quantity 33000

PRODUCT COMPLIANCE



Statement of Compliance

Statement of Compliance

PDF
