




PRODUCT NUMBER
 89008-XYX
 89008-XYLFL




rev	ecn no	dr	date
T	V06-0573	DCH	2006-06-14
U	DG09-0256	TER	2009-08-19
V	DG-007842	TAO	2011-11-09
-	-	-	-
P	V04-0459	LP	5/25/04
R	V04-1100	DAI	10/26/05
S	V05-0667	TAB	07/15/05

spec ref	*	dr	Terran Huang	2010/07/08	projection	mm	size	A4	scale	1:10				
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Tao Zhan	2011/11/09			ecn no	ELX-DG-007842-1						
		chr	Tao Huang	2011/11/17				rel level	Released					
		appr	Pei-Ming Zheng	2011/11/17	product family	METRAL								
surface	3.2	linear	0.X	±0.3		title	METRAL SIGNAL HEADER				dwg no	89008	rev	V
			0.XX	±0.13										
			0.XXX	±0.051										
		angular	0°	±2°	www.fci.com	cat. no.	-	Product - Customer Drw	sheet 1 of 14					



Copyright FCI.

PreE File - REV C - 2009-06-09



KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	5.00	4.30
2	5.75	4.30
3	6.50	4.30
4	7.25	4.30
5	5.00	13.60
6	5.75	13.60
7	6.50	13.60
8	7.25	13.60
9	5.00	17.00
10	5.75	17.00
11	6.50	17.00
12	7.25	17.00
13	8.25	4.30
14	8.25	13.60
15	8.25	17.00
16	7.00	4.30
17	7.00	13.60
18	7.00	17.00
19	8.00	4.30
20	8.00	13.60
21	8.00	17.00
59	5.00	11.80

REQUIRED PC BOARD LAYOUT
COMPONENT SIDE
SEE PRINT 58351 FOR
ADDITIONAL PCB INFORMATION



Copyright FCI.

spec ref	*	dr	Terran Huang	2010/07/08	projection 	mm 	size	A4	scale	21:10
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Tao Zhan	2011/11/09			ecn no	ELX-DG-007842-1		
		chr	Tao Huang	2011/11/17				rel level	Released	
surface	3.200 linear	appr	Pei-Ming Zheng	2011/11/17			product family		METRAL	
	angular	0°	±2°	www.fci.com	title	METRAL SIGNAL HEADER 4 MOD, 5 ROW PRESS-FIT		dwg no	89008	sheet 2 of 14
					cat. no.	-	Product - Customer Drw			

PrdE File - REV C - 2009-06-09

PRODUCT NUMBER

89008-XYX

89008-XYXLF

NOTES:

1. FOR DIM A AND B SEE SHEET 2 AND UP.
2. BODY MATERIAL: LIQUID CRYSTAL
POLYMER 30 % GLASS.
FLAME RETARDANT ACC. UL 94-V0.
3. PIN MATERIAL:
PHOSPHOR BRONZE.
4. PLATING ON PRESS-FIT TAIL:
73931-XYX IS SnPb
73931-XYXLF IS SN (LEAD FREE)
PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE
LEVEL SHOWN IN TABLE BELOW.
5. PRODUCT MARKING:
PART NUMBER DESIGNATION & BATCH I.D.

6. ALL PRODUCTS WITH PART NUMBERS SHOWN IN
SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES.
IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P"
WILL BE ADDED TO THE END OF THE PART NUMBER.
EXAMPLE: XXXXX-XXXP

7. PRODUCT SPECIFICATION GS-12-180
APPLICATION SPECIFICATION BUS-20-073

⑧ AFTER INSERTION INTO CIRCUIT BOARD WITH
QUALIFIED TOOL.

⑨ THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE
EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS
AS DESCRIBED IN GS-22-008.

ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING
(DRAWING NO.)-N1--- OR (DRAWING NO.)-N5---WILL WITHSTAND EXPOSURE
TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR
VAPOR PHASE REFLOW OVEN. PART NUMBERS (DRAWING NO.)-N1---
AND (DRAWINGS NO.)-N5---WILL NOT WITHSTAND REFLOW AND Au CONTACT
SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140°C FOR
NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.

⑩ FOR LEAD FREE PART NUMBERS, ADD AN "LF" SUFFIX.
EXAMPLE: 89008-X01LF

⑪ -AYY PLATING HAS Au FLASH IN PRESS-FIT AREA (LEAD FREE).

PLATING IN CONTACT AREA

DASH NUMBER	PERFORMANCE LEVEL	NOTES
-AYY	TELCORDIA CO	SEE NOTE 11
-N1YY	TELCORDIA CO (NXT)	-
-N5YY	TELCORDIA UE (NXT)	-
-1YY	TELCORDIA CO	-
-2YY	TELECOM CLASS	-
-3YY	IEC CLASS I	-
-5YY	TELCORDIA UE	-
-N1YYLF	TELCORDIA CO (NXT) IEC CLASS I	SEE NOTE 9
-N5YYLF	TELCORDIA UE (NXT)	SEE NOTE 9
-1YYLF	TELCORDIA CO IEC CLASS I	SEE NOTE 9
-2YYLF	TELECOM CLASS	SEE NOTE 9
-5YYLF	TELCORDIA UE	SEE NOTE 9

spec ref	*	dr	Terran Huang	2010/07/08	projection	mm	size	A4	scale	1:10			
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Tao Zhan	2011/11/09			ecn no	ELX-DG-007842-1					
		chr	Tao Huang	2011/11/17				rel level	Released				
		appr	Pei-Ming Zheng	2011/11/17					product family	METRAL			
surface	3.200 linear	0.X	±0.3		title	METRAL SIGNAL HEADER	dwg no	89008	rev	V			
		0.XX	±0.13							cat. no.	-	Product - Customer Drw	sheet 14 of 14
		0.XXX	±0.051										
	angular	0°	±2°										



Copyright FCI.