

HPP V4 Power crimp cont. female 2,5mm²



Part number	09 46 500 0406
Specification	HPP V4 Power crimp cont. female 2,5mm ²
HARTING eCatalogue	https://b2b.harting.com/09465000406

Image is for illustration purposes only. Please refer to product description.

Identification

laentinoation	
Category	Contacts
Series	HARTING PushPull (V4)
Type of contact	Crimp contact
Version	
Gender	Female
Manufacturing process	Turned contacts
Technical characteristics	
Conductor cross-section	2.5 mm ²
Conductor cross-section	AWG 12
Mating cycles	≥750
Material properties	
Material (contacts)	Copper alloy
RoHS	compliant with exemption
RoHS exemptions	6(c): Copper alloy containing up to 4 % lead by weight
ELV status	compliant with exemption
China RoHS	50
REACH Annex XVII substances	Not contained
REACH ANNEX XIV substances	Not contained
REACH SVHC substances	Yes
REACH SVHC substances	Lead

Page 1 / 2 | Creation date 2023-01-20 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Stiftung & Co. KG | Marienwerderstr. 3 | 32339 Espelkamp | Germany



Material properties

California Proposition 65 substances	Yes
California Proposition 65 substances	Lead Nickel
Commercial data	
Packaging size	100
Net weight	0.3 g
Country of origin	Switzerland
European customs tariff number	85444290
GTIN	5713140065499
eCl@ss	27440204 Contact for industrial connectors

Page 2 / 2 | Creation date 2023-01-20 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Stiftung & Co. KG | Marienwerderstr. 3 | 32339 Espelkamp | Germany